

Mi Box 3

Android TV set-top box

An international design award winner









Built for highest performance







Cortex-A53 CPU Quad-core 2.0GHz



Mali-450 GPU 750MHz



2GB DDR3 RAM



8GB eMMC flash

4K 60fps decoding and output

4K supported

First 4K Android device for Vudu and MGo









COMMUNITY

COMMUNITY

COMMUNITY

MI

1st over-the-top (OTT) box with

HDR10 and HDMI 2.0a support

COMMUNITY

GLOBAL

COMMUNITY

GLORAL

YTINDMMO

GLOBAL

COMMUNITY

GLOBAL

xiaomi-mi.com





COMMUNITY


COMMUNITY

Runs on Android TV 6.0

COMMUNITY



GLOBAL























































Games for the big screen

















































Mi Bluetooth Controller

Dual-motor vibration, 3-axis G sensor Lasts 365 days on standby



Item sold separately



Popular video and sound formats supported

ZOWIWIUNII Y	COMMINALLY	GUWWIUNITY	
Video		Sound	
VP9 Profile-2 up to 4Kx2K@60fps H.265 HEVC MP-10@L5.1 up to 4Kx2K@60fps		Audio content sampling rates supported 8kHz to 192kHz	
H.264 AVC HP@L5.1 up to 4Kx2K@30fps H.264 MVC up to 1080P @60fps		Audio content sample formats supported 8-bit/16-bit/24-bit, Mono/Stereo	
WMV/VC-1 SP/MP/AP up to 1080P@60fps			
MPEG-4 ASP@L5 up to 1080P@60fps ((ISO-14496)	Interfaces supported I2S, PCM	COM VIU
AVS-P16(AVS+) /AVS-P2 JiZhun Profile up to 1080P@60fps		HDMI Tx audio support 7.1 channel, up to 192 KHz 24-bit PCM data and encoded bit-stream output	
MPEG-2 MP/HL up to 1080P@60fps (ISO-13818)			GL OB/
MPEG-1 MP/HL up to 1080P@60fps (I	ISO-11172)	External CODEC I2S interface supports 16-bit/24-bit, Mono/Stereo, 8kHz to 192kHz	





CLOBAL

Search with your voice

Use voice search to locate for the latest TV shows, movies, music, and more

GLOBAL

GLOBAL

COMMUNITY

Connectivity





802.11ac Wi-Fi

Dual-band Wi-Fi



Bluetooth 4.1

Bluetooth Low Energy









Accessories included









Bluetooth remote with voice recognition



User guide

Mi Box 3 specifications

Name

Resolution

Hardware

System

Security

Wireless

Video

Sound

Port

Other

Color

Launch Date

M12 (Mi Box 3 Global verison)

Up to 4K60fps

Cortex-A53 CPU Quad-core 2.0GHz

Mali-450 GPU 750MHz

2GB DDR3 RAM

8GB eMMC Flash

Android TV 6.0

Widevine L1 + PlayReady 2.5 or 3.0

Wi-Fi: 802.11a/b/g/n/ac, dual-band 2.4GHz/5GHz

Bluetooth 4.1

VP9 Profile-2 up to 4Kx2K@60fps

H.265 HEVC MP-10@L5.1 up to 4Kx2K@60fps

H.264 AVC HP@L5.1 up to 4Kx2K@30fps

H.264 MVC up to 1080P @60fps

Supports HDR10/HLG HDR processing

Audio content sampling rates supported: 8kHz to 192kHz

Audio content sample formats supported: 8-bit/16-bit/24-bit, Mono/Stereo

Interfaces supported: I2S, PCM

HDMI Tx audio support 7.1 channel, up to 192 KHz 24-bit PCM data and encoded bit-stream output.

External CODEC I2S interface supports 16-bit/24-bit, Mono/Stereo, 8kHz to 192kHz

HDMI 2.0a x1 (HDCP 2.2), USB 2.0 x1; CVBS/SPDIF Out

Remote:Bluetooth remote with voice recognition

Accessories: Bluetooth remote, HDMI cable, user guide

Black

Aug. 2016