
Mi Air Humidifier



AC power cable

30cm




maximum water level


04 Usage

Connecting power adapter

It is necessary to distinguish between DC power cable and AC cable. By connecting the DC cable to AC adapter, be guided by side with the image of the negative pole.




Cnnecting AC cable Connect AC cable to power supply.



to press the button on a

Light management

rear side of the humidifier. Each press of the button allows you to control light switch lighting modes: continuous light, flashing light, turn off the light.



the QR-Code. Open the app, click on icon «My Device» and add «Mi Air Humidifier» to your list. After successfully adding a humidifier, vou will find it in «Smart Devices» list.

This device is already in a list of Mi Smart Home devices, supports MIUI system and can interface and interact with other Mi Smart Home devices.

To find out more information about operation of this device or to purchase other smart devices, register in Mi Smart Home APP.

Volume of water / LED status of the device

	alobiti			0100/11
Mode	Off mode	Work mode	Low	Water is over
			water	
X	aomi-mi	com	level	
Indicators				
	•	*	<u></u>	*

Indicators lit

Indicators off

Indicators flashing

Indicators lit

Indicator off

Indicators flashing

:0:

05 Usage

On-Off/ mode switching

To operate a light you need - Turning on

Press the button to turn humidifier on.

Mi Air Humidifier remembers a mode, established after last use of the device. When first using the device, a default is 1st mode. Note: If no water in the tank, the humidifier does not turn on. Please add water first, and then use the device.

- Mode switching

Click on the button to switch a mode. Each time you press the button you switch 1st, 2nd, 3rd mode.

- Shutdown


Press and hold the button for 3 seconds to turn off the device.

Note: If the humidifier is over water, it is automatically switched off.

- Maximum mode

IWhen the device is off, press and hold the button for 5 seconds to activate maximum mode. The humidifier can work 4.5 hours by default. If water is over the device, it switches off automatically. Click on the button to turn on 1st mode.

Indicators status





06 Maintenance

Draining

After using the device in a timely manner, drain a water from the tank and the base of the humidifier to prevent increase and spread of a possible bacteria, micro-organisms and to prevent air pollution.

Disconnect the device from a power supply, then water can be drained. **Drain water from the tank**

Click and hold on the valve, which is located under the tank to drain remaining water.




Drain water from the base of the humidifier

It is strongly recommended to drain water from the device in a place where there is a corresponding image and inscription, to prevent water from entering the air outlet hole and to avoid damage to the device.

07 Maintenance

Power button



Light operating button



Reset Wi-Fi

If the humidifier is not connected to your phone, press and hold the Power button and Light control Button for 5 seconds until you hear a beep, indicating of successful reset Wi-Fi settings.

Cleaning the humidifier

To clean the humidifier base and tank, you can use pure water or neutral detergent, followed by a wipe with a dry cloth. Do not use a hair dryer or other heating devices to dry the humidifier. Avoid direct sunlight.

In the case of regular use of a humidifier is recommended to clean it once a week.

Presence of toxic and hazardous substances

Humidifier		Presence of toxic and hazardous substances				
Name of part	Pb	Hg	Cd	Cr6+	PBB	PBDE
Housing	0	0	0	0	0	0
Circuit board	X	0	0	0	0	0
Additional	0	0	0	0	0	0
accessories			teres and the second	2007.0000 - 10000 - 200	NA-1970-03	00
This table provid						
O: toxic and har	mful subs	tances in a	all componen	ts of the devie	ce are cont	tained in an
amount below th	ne limit va	lue accord	ing to GB / T	26572-2011	standard.	

X: presence of toxic and harmful substances, at least one of the components of this product in excess of the limit value, according to GB / T 26572-2011.

Main characteristics

Name	Mi Air Humidifier	Gross weight	About 3.7 kg	Rated voltage	34V
	0000000		,		
Model	CJJSQ01ZM	Net weight	About 3.0 kg	Rated frequency	50/60Hz
Type of device	Ultrasonic Humidifier	Volume	About 3.5 I	Rated power	36W
Dimensions	207mm x 336mm	Noise level	38dB(A)	Moistening (volume)	400ml/h
Wireless network	Wi-Fi IEEE 802.11	b/g/n 2.4GHz	CONMUN	TY	

Warranty time

LOBAL

	Warranty term		
1		Motor	3 yrs.
	Main device	PCBA (Circuit board)	3 yrs.
		Steam sprayed plate	1 yr.
Mi Air Humidifier		UV lamp	3 yrs.
	Additional	Power cable	1 yr. GLOB
\leq \sim	accessories	Power adaptor	3 yrs.

Note: The warranty applies only to companies in China.

Trouble shooting

Fault	Problem with turning the device on	The device is automatically off	Lack of steam	Water leakage from air outlet hole
Possible	Improper	Make sure a	Open the mobile	Disconnect the
reasons of	installation;	presence of water	app and make	device from a
fault	Be sure to connect	in the tank;	sure a moisture	power supply,
	a power cord;	Restart the	level does not	remove the tank,
	Be sure to connect	device;	exceed 70%. If a	pour out the water.
	a cable to the		humidity level	Leave the base
	adapter;		exceeds 70%, the	unit in a well-
			absence of steam	ventilated area
	GLOBAL		is normal;	until its complete
	GLOBAL		Make sure there	drying;
		COMMUNIT	is sufficient water	
			level in the tank;	
Fault	Water leakage / exces	ss water.	Problems with	Indicators no lit.
			connecting to a	
			mobile	
			application. Make sure you	
Possible		Disconnect the device from a power		Open the mobile
reasons of		supply, make sure there are no foreign		app and make
fault	objects on the solenoid valve;		Fi signal, your phone and the	sure you can
		ake sure that no foreign objects, if		adjust the
	there is a flow of wate		device connected	brightness of the
	outlet, see "water flow	rrom the air	to the same local	light;
	outlet" section.		area network;	Try to turn on the
			Reset the Wi-Fi	light with the "light
		COMMUNIT	settings.	buttons".

Cautions

Transportation

Before transporting the device, turn off and unplug it from a power supply.

During a transposition or transportation of the humidifier, please drain remaining water from a unit base and reservoir.

Setting of the device

It is highly recommended to perform the installation of the device, following the instructions to prevent to electric shock injure, fire and occurrence of other accidents.

If the device is not fully collected, do not connect it to power supply. GLC

Power cable

Use the power cord in accordance with a following guidelines to prevent ignition, electric shock, or damage to the device:

Before performing maintenance or storing the device, please unplug a power cable.

Do not pinch, bend, or twist a power cord. Otherwise, an internal cable conductors may be exposed or broken.

Do not pull on a cable, disconnect the device from a power supply.

Do not use inappropriate outlet.

Do not use the humidifier power cord for any other devices.

If power cable is damaged, it is strongly recommended to purchase a new one from a

specialized supplier of this product.

Usage

If there were an uncharacteristic sounds, smell, increase the device temperature, and other strange symptoms, immediately turn off the humidifier. Do not rely on your device.

Usage limitations

The following are circumstances in which it is not recommended to use the device, because inflammation, injury, etc. can occur:

The surface is very uneven and unsteady;

Near the humidifier have unstable set things;

Do not use the device in the bathroom and other rooms with high temperatures, high humidity;

Any damage to a power cord or plug is very unreliable.

Don't do it with your device.

This can lead to personal injury, fire, damage to the device, etc .:

Do not allow the children and adults, who do not know the features of this technique, to control a humidifier;

Do not disassemble the unit yourself (unless performing maintenance). If necessary, contact and consult with a specialist of Zhimi company.

Warranty

Warranty service is carried out in accordance with the laws on «The rights of consumers of China» and «The quality of Chinese products» The warranty service includes:

1. Within 7 days from the date of purchase, in case of a problem from the «List of faults», Zhimi service center determines the cause of the problem, then you can choose a free replacement product or a refund.

Within 15 days of purchase, in case of a problem of «fault list» Zhimi service center defines the problem, then you choose a free replacement or repair of the goods.
Within 12 months from the date of purchase, in case of a problem from the «List of faults», Zhimi service center defines the problem, then you are given a free repair.

Terms, that are not included in the warranty service

Completion of service, falling, neglect, abuse, liquid ingress, an accident, if torn or slipped label and labeling devices;

The warranty period has expired;

Damage caused in case of force majeure;

Failures, which do not correspond to the «List of fault» service center;

Failure of the device or its components from the «Fault list», which arose in connection with the human factor, and which interfere with normal operation.



XIAOMI-MI.COM